

MAN

**PK 245 TEC**

**TGS 26.480 6X2-4 LL CH**

CONTRACT NUMBER: PALDRIVE 572

NEW

RESERVED



## OFFER INFORMATION

Location details

Lengau, 5211 - Austria 

Dealer Name

Palfinger EMEA GmbH AT

**PALFINGER**

Available from

07.05.2025

Product type

New

Contract number

Paldrive 572

Dealer E-mail

[sales@palfinger.com](mailto:sales@palfinger.com)

Dealer phone

**004366488345792**

## SPECIFICATION



PK 245 TEC

|                       |          |
|-----------------------|----------|
| lifting moment        | 23,5 mt  |
| max. outreach         | 15,3 m   |
| max. lifting capacity | 6.400 Kg |
| swivel range          | 408°     |



MCC-INSTALLATION

### Platform

|                        |          |
|------------------------|----------|
| Platform length        | 6.600 mm |
| Platform width         | 2.480 mm |
| frontwall height       | 1.800 mm |
| side & rearwall height | 950 mm   |
| loading height         | 1.340 mm |
| Platform floor         | Aluminum |



MAN TGS 26.480 6X2-4 LL CH

|                          |                   |
|--------------------------|-------------------|
| <b>construction year</b> | 2024              |
| <b>power</b>             | 480 Hp            |
| <b>gearbox</b>           | TipMatic 12.26 DD |
| <b>main Wheelbase</b>    | 4.800 mm          |
| <b>cabin</b>             | NN                |
| <b>GSR II options</b>    | yes               |

PRODUCT

|              |            |                          |                   |
|--------------|------------|--------------------------|-------------------|
| Manufacturer | Palfinger  | Construction year        | 2025              |
| Model        | PK 245 TEC | Lifting moment           | 23,5 mt           |
|              |            | Outreach / Lifting power | 15,1 m / 1.130 kg |

TRUCK

|                    |                     |                      |                    |
|--------------------|---------------------|----------------------|--------------------|
| Truck manufacturer | MAN                 | Axes                 | 6*2*4              |
| Construction year  | 2024                | Gross vehicle weight | 26.000 kg          |
| Drivers cabine     | NN                  | Dead weight          | 15.000 kg          |
| Wheel base         | 4.800 mm + 1.350 mm | Payload              | 11.000 kg          |
| Power              | 480 PS              | Payload category     | 6t - 15t           |
| Emmission standard | EURO 6              | Construction         | Crane and platform |

## PK 245 TEC

### HYDRAULIC & TECHNICS

- Rigid and lightweight boom extension system in polygonal shape (P-Profile)
- 5 hydraulic boom extensions (D)
- Low maintenance extension system
- High-speed boom extension system with return oil recovery
- Piston rod protection for the outer boom cylinder
- Swivel range 408°
- Danfoss control valve
- Hydraulic support leg extension (max.support width 7.400mm)
- Hose equipment for two additional devices
- hydraulic oil tank 250 l

### ASSISTANCE SYSTEMS

- Paltronic 180
- HPSC + LOAD
- Remote controlled stabilizers
- AOS (Active Oscillation Suppression)
- Acoustical overload warning

### EQUIPMENT

- P6 - Scanreco MICRO radio remote control / 6 functions with cross levers
- Working light on the articulated arm
- 8to load hook
- Painting RAL3020
- PZP-VS Pallet Fork (Spring-Supported) capacity 1,5to
- Shaft Rotator 4.5 t / Ø 68 mm (package)



## INSTALLATION



- PALFINGER top mounted platform - Eco
- platform inner dimensions: 6.600mm x 2.480mm
- Front wall: height 1.800 mm including working lights and towing points
- Side- and rearwalls height: 950 mm
- Recessed folding steps on all 4 side walls
- Lashing rail in platform floor
- Platform floor Aluminum Incl. anti-slip EPDM-Profile
- loading height: 1.340mm
- 3x stainless steel toolbox
- Edge protector bracket
- Crane pallet fork holder
- Rear view camera
- Trailer coupling: RINGFEDER Typ RF40/ G150B
- 2 wheel chocks

## MAN TGS 26.480 6X2-4 LL CH

- Engine: 480 Hp, torque max. 2.450 Nm
- Gearbox: TipMatic 12.26 DD + Retarder 35
- Axle distance: 4.800mm + 1.350mm
- air suspension on all axles
- Fuel tank 400l / AD-Blue 60l
- Tires 1st axle: 385/65R22.5
- Tires driven axle: 315/80 R22.5
- Tires trailing axle: 315/80R22,5
- Rims on all axles: aluminium Alcoa Dura-Bright EVO
- Cabin colour: VERKEHRSWEISS RAL 9016 / chassis colour: RAL 9011
- Cabin type: NN
- auxiliary heating: 4 kW
- Multifunctional steering wheel



- Infotainment system equipped with 12.3-inch colour display
- GSR II options included
- construction Year: 2024