

4x4

**FORD** 

# PAL PRO 43 MECHANICS TRUCK 2024 F-550 XL 4X4

STOCK NUMBER: MK0269







# OFFER INFORMATION

Location details

5115 N Broadway | Wichita | KS, 67219 - United

States \_\_\_\_

Dealer Name

Master Tech Truck and Equipment



Availability

Available

Product type

New

Stock number

MK0269

Contact person

MTTE Sales

Dealer E-mail

MTTEinfo@MTTE.pro

Dealer phone

316-765-6883 EXT 1

\$ 189,900



## **NEW PAL PRO 43 MECHANICS BODY**

## **PALFINGER Pro 43-11 Service Body**

- 11' Standard Configuration
- E-Coat Corrosion Protection
- 60" Tall Compartments
- Street Side 44" Tall Compartments With 60" Raised Front
- 2 Compartments Curb Side
- · C-Tech drawer Units & Adjustable Shelving
- Welding Bottle Compartment & Welder Mounting Plate
- Eternal LED Work Lights & LED Internal Compartment Lights
- 21" Work-Bench Bumper With Vise Plate Mount & Vise
- (8) Tie-Down Rings In Load Space
- Outriggers
- Line-X Applied Exterior To The Cargo Area,
   Sides, and Tops Of Side Compartments &
   Interior Of Compartments

# SERVICE CRANE TECHNICAL DETAILS

## **PALFINGER PSC 8029 Service Crane**

- Maximum Lift Rating: 8,000 lbs
- Crane Rated Lifting Movement: 43,000 ft.
- Maximum Crane Rated Lifting

Movement: 49,180 ft. lbs

• Boom Extension: 2 Hydraulics

• Power Outreach: 29' Reach

• Winch Speed: 60 ft./min

E-Coat Corrosion Protection

· Wireless Remote Control

#### COMPRESSOR TECHNICAL DETAILS

#### PALFINGER PRC45V Rotary Screw Compressor

The **PALFINGER PRC 45V** Hydraulic-Driven Rotary Screw Compressor provides up to 45 CFM @ 150 PSI, offering reliable air power for heavy-duty tasks in a compact design.

Weight: 150 lbs45 CFM @ 150psi

· Hydraulic-Driven Rotary Screw

Oil-Injected Rotary Screw

## **CHASSIS DETAILS**

#### 2024 Ford F600 XL 4x4 Regular Cab

Engine: 6.7L Power Stroke Turbo Diesel –
 330 HP & 750 LB-FT

 Transmission: Ford TorqShift HD 10-Spd Automatic

Gear Ratio: 4.30 Limited Slip

Wheelbase: 169"Wheels: SteelGVWR: 22,000 lbs

• GVWR: 22,000 lbs

Front Axle Weight Rating: 7,500 lbs
Rear Axle Weight Rating: 15,500 lbs

Print date: Jun 22, 2025, 2:32:59 PM

• Fuel Capacity: 40 gal

CARB Compliant

DOT Inspected



- PTO Provision (Power-Take-Off)
- Extra Heavy-Duty Suspension For Specific Heavy-Duty Applications
- Strobe Lights
- Engine Block Heater
- Exhaust Brake
- Chrome Appearance Group
- · Rear Differential Lock
- Receiver Hitch Pocket, Trailer Tow-Wire Harness & Electrical Light Plug, Holes Drilled For Pintle Hitch Mount

Print date: Jun 22, 2025, 2:32:59 PM