

SCANIA

PK 24.001 SLD 5

P 410 B6X2*4 NB

CONTRACT NUMBER: 1100073106

USED

AVAILABLE



SPECIFICATION

Crane specification:

- 5-section hydr. extension boom
- Outriggers hydraulic, medium
- Rigid stabilizer legs
- Stabilizer plate extension 200mm
- Stabilizer control ground, 4 elements
- Stability system HPSC-E
- HPSC-Plus module Load
- Slewing Angle Monitoring
- Electronic slewing limitation
- Hose equipment
- Port relief valves
- Scanreco radio remote control
- Engine start/stop

OFFER INFORMATION

Location details

Tallinn Tala 6, 11415 - Estonia 

Dealer Name

VTA TEHNIKA AS

Availability

Available

Available from

02.07.2024

Product type

Used

Contract number

1100073106

Dealer E-mail

eedi@vtatehnika.ee

Dealer phone

003725297887

- Working light
- Oil cooler 10,5kW, mounted
- Oil tank 200 l
- BOSCH REXROTH fix pump
- Crating

Superstructure:

- MCC modular lowbed platform (7000 x 2480 x 800 mm)
- Platform floor Made of 27 mm plywood, impregnated and sealed
- 6 lashing ladders integrated crosswise in the floor
- Front wall Height approx. 1500mm, planked with 25mm aluminum profile
- Side walls Foldable and detachable, made of 25 mm aluminum profile; Division: 3 walls per side
- Rear wall One piece, design like side wall
- Wall locks Kinnegrip K20 ALU anodized, removable
- 6 pcs. LED working lights
- 2 pcs. LED reversing lights
- Standard stabilizer plate holder
- Performance toolbox – L
- 6 pcs. flashing lights
- Battery charger RRC-rane
- Rear light cover made of polished stainless steel

PRODUCT

Manufacturer	Palfinger	Lifting moment	20,9 mt
Model	PK 24.001 SLD5	Outreach / Lifting power	14,8m / 1.040 Kg
Construction year	2022	Max outreach	14,8m

TRUCK

Truck manufacturer	SCANIA	Emmission standard	EURO 6
Construction year	2022	Axes	6*2*4
Drivers cabine	CP20L	Gross vehicle weight	26.000 Kg
Wheel base	5.100 mm	Mileage (km)	22.000 km
Power	410 HP	Payload category	6t - 15t
		Construction	Crane and platform